



CREATED FOR QUALITY AND SAFETY IN EVERYDAY USE.

Your quality demands are our demands:

We manufacture tools for you that impress in terms of function, price and performance. Precise, durable and safe - tools made for everyday use. Because we know: Good work can only be done with good tools.



STRONG

LIKE YOU.

Discover the new ROCKET 7:

Strong, persistent, reliable. Drill in reinforced concrete and highly abrasive materials such as natural stone with the ROCKET 7. Fast and with maximum lifetime.

ROCKET7
HAMMER DRILL BIT





ROCKET7

The SPECIALIST for reinforced concrete



ROTARY HAMMER DRILL BITS WITH 4 CUTTING EDGES SDS-PLUS

Maximum lifetime

- Solid carbide head for optimal resistance at very high temperatures - therefore perfectly suited for frequent drilling in reinforcement
- Extremely strong head connection due to an innovative diffusion welding process - therefore maximum safety against head breakages



Maximum security

- Wear marks for identifying the wear limit in accordance with the PGM
- Reinforcement chamfers prevent jamming in case of reinforcement hits
- 4-spiral helix geometry for lower vibrations to protect people and machine



Extremely durable

- 4-spiral helix geometry for an evenly spread wear
- Drill bit body made of high-quality tempered steel [34CrNiMo6]



Range of application

- Reinforced concrete
- Concrete
- Natural stone
- Masonry

Characteristics

- Durable
- Powerful
- Precise
- Low vibration



Rotary hammer drill bits SDS-plus

NEW

#001	PROFESSIONAL			
SDS-plus	1 piece			
Ø mm	L1 mm	L2 mm	D.kr. / Pc.	Item no.
5.0	165	100	74	83 05 165 8
6.0	115	50	70	83 06 115 8
6.0	165	100	75	83 06 165 8
6.0	215	150	102	83 06 215 8
8.0	115	50	87	83 08 115 8
8.0	165	100	91	83 08 165 8
8.0	215	150	105	83 08 215 8
8.0	265	200	133	83 08 265 8

#001	PROFESSIONAL			
SDS-plus	1 piece			
Ø mm	L1 mm	L2 mm	D.kr. / Pc.	Item no.
10.0	165	100	100	83 10 165 8
10.0	215	150	115	83 10 215 8
10.0	265	200	141	83 10 265 8
12.0	165	110	116	83 12 165 8
12.0	215	160	139	83 12 215 8
12.0	265	210	168	83 12 265 8
14.0	215	160	217	83 14 215 8
16.0	215	160	290	83 16 215 8



TOOLS LIKE YOU:

**STRONG
PERSISTENT
RELIABLE**



ROCKET7

The SPECIALIST for reinforced concrete



ROTARY HAMMER DRILL BITS WITH 4 CUTTING EDGES SDS-PLUS

Rotary hammer drill bit set

NEW




Ø 6 x 115/50 mm
Ø 6 - 8 - 10 x 165/100 mm
Ø 12 x 165/110 mm



#002 PROFESSIONAL
83801 5 pieces
D.kr. **449**

Rotary hammer drill bit set

NEW



Ø 5 - 6 - 8 x 115/50 mm
Ø 6 - 8 - 10 x 165/100 mm
Ø 12 x 165/110 mm



#003 PROFESSIONAL
83804 7 pieces
D.kr. **673**





STONE

ROCKET5

The ALLROUNDER



HAMMER DRILL BITS WITH 4 CUTTING EDGES SDS-PLUS AND SDS-MAX

Maximum precision

- 5 Crushers use impact and torsion to create precise drill holes in reinforced concrete
- Inserted carbide cross plate for an exact centering on the drill bit body
- 4-spiral helix geometry for a high running stability and optimal guidance in the drill hole
- Pilot centering tip for precise spot-drilling without slipping off



Maximum security

- Wear marks for identifying the wear limit in accordance with the PGM
- Reinforcement chamfers prevent jamming in case of reinforcement hits
- 4-spiral helix geometry for lower vibrations to protect people and machine



Extremely durable

- 4-spiral helix geometry for an evenly spread wear
- Drill bit body made of high-quality tempered steel [34CrNiMo6]



Range of application



- Reinforced concrete



- Concrete



- Masonry



- Natural stone

Characteristics



- Precise



- Powerful



- Durable



- Low vibration



Rotary hammer drill bits SDS-max

#004	PROFESSIONAL			
SDS-max	1 piece			
Ø mm	L1 mm	L2 mm	D.kr. / Pc.	Item no.
14.0	540	400	702	814 540
16.0	340	200	605	816 340
16.0	540	400	718	816 540
18.0	340	200	605	818 340
18.0	540	400	734	818 540

#004	PROFESSIONAL			
SDS-max	1 piece			
Ø mm	L1 mm	L2 mm	D.kr. / Pc.	Item no.
20.0	520	400	758	820 520
22.0	520	400	799	822 520
24.0	520	400	837	824 520
25.0	520	400	848	825 520
28.0	570	450	935	828 570




ROCKET5

The ALLROUNDER



Rotary hammer drill bit set



Ø 6 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm


SDS-plus

#005 PROFESSIONAL
83046 5 pieces
D.kr. **403**



Rotary hammer drill bit set

NEW




Ø 5 - 6 - 8 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm

SDS-plus

#006 PROFESSIONAL
83043 7 pieces
D.kr. **551**



Rotary hammer drill bit set



Ø 5 - 6 - 8 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm

SDS-plus

#007 PROFESSIONAL
83744 7 pieces
D.kr. **608**



Hammer drill bit big packs SDS-plus

NEW

#008	PROFESSIONAL			
SDS-plus	5 pieces			
Ø mm	L1 mm	L2 mm	D.kr. / PU	Item no.
6.0	110	50	306	83 06 110 45
8.0	210	150	430	83 08 210 45
10.0	210	150	484	83 10 210 45
12.0	210	160	551	83 12 210 45
14.0	210	160	878	83 14 210 45
16.0	210	160	1.190	83 16 210 45

#009	PROFESSIONAL			
SDS-plus	10 pieces			
Ø mm	L1 mm	L2 mm	D.kr. / PU	Item no.
5.0	160	100	673	83 05 160 410
6.0	160	100	650	83 06 160 410
8.0	160	100	738	83 08 160 410
10.0	160	100	815	83 10 160 410
12.0	160	110	914	83 12 160 410
14.0	160	110	1.271	83 14 160 410

#010	PROFESSIONAL			
SDS-plus	30 pieces			
Ø mm	L1 mm	L2 mm	D.kr. / PU	Item no.
6.0	160	100	1.924	83 06 160 430
8.0	160	100	2.248	83 08 160 430
10.0	210	150	2.903	83 10 210 430
12.0	210	160	3.353	83 12 210 430





STONE

ROCKET3

The SPRINTER



ROTARY HAMMER DRILL BITS WITH 2 CUTTING EDGES SDS-PLUS

Maximum speed

- 3 crushers for extremely fast material destruction
- 2-spiral helix geometry for a rapid removal of the drilling dust



Maximum security

- Wear marks for identifying the wear limit in accordance with the PGM
- Innovative geometry of the carbide plate for an exact fit on the drill bit body
- Protruding centering tip for precise spot-drilling without slipping off



Extremely durable

- Wide spiral backs and core-reinforced helix for an even wear and high breaking stability
- Drill bit body made of high-quality tempered steel [34CrNiMo6]



Range of application



- Concrete



- Masonry



- Natural stone



- Sand-lime brick

Characteristics



- Fast



- Powerful



- Precise



- Low vibration

Rotary hammer drill bit set

Ø 6 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm

#011 PROFESSIONAL
83045 5 pieces
D.kr. **223**



Rotary hammer drill bit set

NEW

Ø 5 - 6 - 8 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm

#012 PROFESSIONAL
83049 7 pieces
D.kr. **290**



Rotary hammer drill bit set

Ø 5 - 6 - 8 x 110/50 mm
Ø 6 - 8 - 10 x 160/100 mm
Ø 12 x 160/110 mm

#013 PROFESSIONAL
83730 7 pieces
D.kr. **381**



#014 PROFESSIONAL				SDS-plus 10 pieces
Ø mm	L1 mm	L2 mm	D.kr. / PU	Item no.
6.0	110	50	285	83 06 110 10
6.0	160	100	325	83 06 160 10
8.0	160	100	353	83 08 160 10
8.0	210	150	470	83 08 210 10
8.0	260	200	470	83 08 260 10
10.0	160	100	448	83 10 160 10
10.0	210	150	567	83 10 210 10
12.0	160	110	551	83 12 166 10
12.0	210	160	619	83 12 216 10
14.0	210	160	844	83 14 216 10



Hollow core bits

Including SDS-plus shank and centering drill bit



Ø 68 mm

#015	STANDARD
54166	3 pieces
D.kr.	335




Ø 82 mm

#016	STANDARD
54180	3 pieces
D.kr.	470

Chisel sets

Pointed chisel, flat chisel and spade chisel



- Dimensions of the chisels can be found in the tables on the right

SDS-plus

#018	STANDARD
99956	3 pieces
D.kr.	169



SDS-max

#019	STANDARD
844002	3 pieces
D.kr.	290

Hollow core bit set

Ø 68 mm and Ø 82 mm

Including SDS-plus shank, hexagonal shank and two centering drill bits



- Hollow core bits with 8 carbide teeth
- Maximum drilling depth 50 mm
- Thread connection M22

SPECIAL PRICE	#017	STANDARD
	54100	6 pieces
	D.kr.	763



Chisel bulk packs

SDS-plus

#020	STANDARD			
SDS-plus				10 pieces
Description	L mm	W mm	D.kr./ PU	Item no.
Pointed chisel	250		394	84 106 250 210
Flat chisel	250	20	394	84 206 250 210
Spade chisel	250	40	470	84 406 250 210

SDS-max

#021			STANDARD	
SDS-max			10 pieces	
Description	L mm	W mm	D.kr./ PU	Item no.
Pointed chisel	400		754	84 170 400 210
Flat chisel	400	25	754	84 270 400 210
Spade chisel	400	50	821	84 470 400 210

Floor cleaning tools

Ideal for removing adhesive residues on screeded concrete

NEW



SDS-plus
290 x 130 mm (LxW)

#022	PROFESSIONAL
84906250	1 piece
D.kr.	1.406

Replacement plate
for SDS-plus tool

#023	PROFESSIONAL
84906001	1 piece
D.kr.	448



SDS-max
635 x 152 mm (LxW)

#024	PROFESSIONAL
84970630	1 piece
D.kr.	2.790

Replacement plate
for SDS-max tool

#025	PROFESSIONAL
84970001	1 piece
D.kr.	583



TWIST DRILL BIT SETS DIN 338 ECO



in metal box

60001 / 60315 / 60381 / 60005 / 60375 / 60386
Image similar



in plastic box

67003 / 67315 / 67381 / 67007 / 67375 / 67386
Image similar



in metal case

60600 / 60615 / 60613 Image similar

HSS-R



- Rollforged for high resistance against breaking forces
- Conical grind
- Point angle 118°

#026	PLUS			
Pieces	Content	Packaging	D.kr./PU	Item no.
19	Ø 1 - 10 / 0.5 mm increasing	Metal box	178	60001
		Plastic box	212	67003
25	Ø 1 - 13 / 0.5 mm increasing	Metal box	358	60005
		Plastic box	371	67007
170	10x Ø 1.0 - 8.0 / 0.5 mm increasing 5x Ø 8.5 - 10.0 / 0.5 mm increasing	Metal case	1.213	60600

HSS-G



- Ground for high precision and speed
- Split point from Ø 3 mm
- Point angle 135°

#027	PLUS			
Pieces	Content	Packaging	D.kr./PU	Item no.
19	Ø 1 - 10 / 0.5 mm increasing	Metal box	254	60315
		Plastic box	298	67315
25	Ø 1 - 13 / 0.5 mm increasing	Metal box	518	60375
		Plastic box	540	67375
170	10x Ø 1.0 - 8.0 / 0.5 mm increasing 5x Ø 8.5 - 10.0 / 0.5 mm increasing	Metal case	1.980	60615

HSS-Co 5%



- Cobalt alloy for a high level of heat and wear resistance
- Split point from Ø 3 mm
- Point angle 135°

#028	PLUS			
Pieces	Content	Packaging	D.kr./PU	Item no.
19	Ø 1 - 10 / 0.5 mm increasing	Metal box	763	60381
		Plastic box	817	67381
25	Ø 1 - 13 / 0.5 mm increasing	Metal box	1.654	60386
		Plastic box	1.699	67386
170	10x Ø 1.0 - 8.0 / 0.5 mm increasing 5x Ø 8.5 - 10.0 / 0.5 mm increasing	Metal case	5.355	60613




Outer reamer with carbide blades

Ø 3 - 19 mm
max 500 rpm



#029 PROFESSIONAL
35401 1 piece
D.kr. **506**

Ø 13 - 35 mm
max 150 rpm



#030 PROFESSIONAL
35402 1 piece
D.kr. **833**

Ø 34 - 54 mm
max 60 rpm



#031 PROFESSIONAL
35403 1 piece
D.kr. **1.530**



Carbide burr set

Head Ø 9.6 mm - shank Ø 6.0 mm
Form B - Form C - Form D -
Form E - Form G



- With double cut for a high stock removal rate and smooth milling performance



#032 PROFESSIONAL
70295 5 pieces
D.kr. **1.159**

Countersink sets

Ø 6.3 - 8.3 - 10.4 -
12.4 - 16.5 - 20.5 mm



HSS-G

#033 PLUS
35005 6 pieces
D.kr. **653**

HSS-Co 5%

#034 PLUS
35605 6 pieces
D.kr. **878**



Tube and sheet drill bit sets

3 - 14 mm / 8 - 20 mm /
16 - 30.5 mm



HSS-G

#035 PROFESSIONAL
75065 3 pieces
D.kr. **1.001**

HSS-Co 5%

#036 PROFESSIONAL
75665 3 pieces
D.kr. **1.350**



Step drill bit sets

4 - 12 mm / 6 - 20 mm /
6 - 30 mm
Including cutting paste



HSS-G

#037 PROFESSIONAL
76811 4 pieces
D.kr. **1.685**

HSS-Co 5%

#038 PROFESSIONAL
76911 4 pieces
D.kr. **2.160**





THREAD

Thread bundle

Thread bundle (item no. 99989) consisting of
tap set (item no. 91013) and
circular die set (item no. 91015)

Single-cut tap set (item no. 91013)
7 single-cut taps HSS-G DIN 352
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 core hole drill bits HSS-G DIN 338
Ø 2.5 - 3.3 - 4.2 - 5.0 - 6.8 - 8.5 - 10.2 mm
1 tap wrench No. 1 1/2

Circular die set (item no. 91015)
7 circular dies HSS-G
M3 - M4 - M5 - M6 - M8 - M10 - M12
1 die stock

#039	STANDARD
91013	15 pieces
D.kr.	403

#040	STANDARD
91015	8 pieces
D.kr.	448

#041	STANDARD
99989	23 pieces
D.kr.	808

SPECIAL PRICE



Item no. 91013



Item no. 91015


Combined machine drill tap set



6 combined machine drill taps HSS-G 6.35 mm [1/4"]
M3 - M4 - M5 - M6 - M8 - M10
1 bit holder

- Core hole drilling, thread cutting and deburring
in one operation

#042	PLUS
91019	7 pieces
D.kr.	630



Machine tap sets



7 machine taps DIN 371/376
M3 - M4 - M5 - M6 - M8 - M10 - M12
7 core hole drill bits DIN 338
Ø 2.5 - 3.3 - 4.2 - 5.0 - 6.8 - 8.5 - 10.2 mm

HSS-G for through holes

#043	STANDARD
91030	14 pieces
D.kr.	574

HSS-G for blind holes

#045	STANDARD
91040	14 pieces
D.kr.	574

HSS-Co 5% for through holes

#044	STANDARD
91031	14 pieces
D.kr.	988

HSS-Co 5% for blind holes

#046	STANDARD
91041	14 pieces
D.kr.	988



91030 / 91031 Image similar



91040 / 91041 Image similar



Taps and dies set



- 21 hand taps HSS DIN 352
- 1 set each (taper, plug and bottoming tap)
- M3 - M4 - M5 - M6 - M8 - M10 - M12
- 7 circular dies HSS-G
- M3 - M4 - M5 - M6 - M8 - M10 - M12
- 7 core hole drill bits HSS-G DIN 338
- Ø 2.5 - 3.3 - 4.2 - 5.0 - 6.8 - 8.5 - 10.2 mm
- 1 die stock
- 1 tap wrench No. 1 1/2
- 1 tool holder No. 1
- 1 screwdriver (item no. 91508)
- 1 screw pitch gauge (item no. 915091)

#047	STANDARD
91009	40 pieces
D.kr.	1.620



Taps and dies set



- 21 hand taps HSS DIN 352
- 1 set each (taper, plug and bottoming tap)
- M3 - M4 - M5 - M6 - M8 - M10 - M12
- 7 circular dies DIN EN 22568
- M3 - M4 - M5 - M6 - M8 - M10 - M12
- 7 core hole drill bits HSS-G DIN 338
- Ø 2.5 - 3.3 - 4.2 - 5.0 - 6.8 - 8.5 - 10.2 mm
- 5 die stocks
- 20x5 - 20x7 - 25x9 - 30x11 - 38x14 mm
- 2 tap wrenches No. 1 + 2
- 1 screwdriver (item no. 91508)
- 1 screw pitch gauge (item no. 915091)

#048	STANDARD
91004	44 pieces
D.kr.	2.205



Taps and dies set



- 33 hand taps HSS DIN 352
- 1 set each (taper, plug and bottoming tap)
- M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20
- 11 circular taps DIN EN 22568
- M3 - M4 - M5 - M6 - M8 - M10 - M12 - M14 - M16 - M18 - M20
- 6 die stocks
- 20x5 - 20x7 - 25x9 - 30x11 - 38x14 - 45x18 mm
- 2 tap wrenches No. 1 1/2 + 3
- 1 screwdriver (item no. 91508)
- 1 screw pitch gauge (item no. 915091)
- 1 tool holder with ratchet (item no. 913011)

#049	STANDARD
91005	55 pieces
D.kr.	4.253





OSCILLATING MULTI-TOOLS

Wood

NEW



#050 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
24 x 48 mm	1.3 mm	Bi-metal	1	101	663 071
			5	416	663 075




#051 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
32 x 50 mm	1.4 mm	Bi-metal	1	140	663 121
			5	584	663 125
			20	2.102	6 631 220



#052 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
32 x 50 mm	1.8 mm	HCS	1	140	663 281
			5	584	663 285
			20	2.102	6 632 820



#053 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
32 x 50 mm	1.8 mm	Bi-metal	1	196	663 131
			5	799	663 135
			20	2.813	6 631 320



#054 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
65 x 40 mm	1.8 mm	Bi-metal	1	223	663 181
			5	956	663 185
			20	3.330	6 631 820

Metal

NEW



#055 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
32 x 50 mm	1.3 mm	Bi-metal	1	178	663 051
			5	718	663 055
			20	2.520	6 630 520




#056 PROFESSIONAL					
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
32 x 40 mm	1.1 mm	Carbide	1	320	663 111
			5	1.303	663 115




OSCILLATING MULTI-TOOLS

Wood and Metal

NEW


#057		PROFESSIONAL			
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
32 x 50 mm	1.3 mm	Bi-metal	1	196	663 141
			5	799	663 145
			20	2.813	6 631 420



#058		PROFESSIONAL			
Width x cutting depth	Teeth distance	Material	Pieces per PU	D.kr./ PU	Item no.
65 x 40 mm	1.3 mm	Bi-metal	1	245	663 081
			5	1.035	663 085
			20	3.510	6 630 820



- Ø 85 mm
- Tooth distance 1.4 mm
- Bi-metal

#059	PROFESSIONAL
66301	1 piece
D.kr.	259




Mortar



- Ø 85 mm
- Thickness approx. 2.5 mm
- Carbide grains

#060	PROFESSIONAL
66318	1 piece
D.kr.	358



- Ø 70 mm
- Thickness approx. 2.0 mm
- Carbide grains

#061	PROFESSIONAL
66309	1 piece
D.kr.	551

Multi Material



- Cutting width 52 mm

#062	PROFESSIONAL
66310	1 piece
D.kr.	135



- Cutting on pull or push


#063	PROFESSIONAL
66317	1 piece
D.kr.	252



SAWS

Saber saw blade

- Longer lifetime due to induction-hardened tooth tips
- Teeth/inch: 6
- Toothed length: 245 mm



#064	PROFESSIONAL
64296	2 pieces
D.kr.	394



Saber saw blades

- Carbide toothing ensures maximum lifetime
- Teeth/inch: 8



Toothed length:
130 mm

Toothed length:
205 mm

#065	PROFESSIONAL
64321	1 piece
D.kr.	236

#066	PROFESSIONAL
64322	1 piece
D.kr.	349



Jigsaw blade set for wood

Fine, rough, clean, fast and curved cuts in wood and plastics



#067	PROFESSIONAL
63001	10 pieces
D.kr.	169



Jigsaw blade set for metal

Fast and precise cuts in sheet metal, metal tubes and profiles with a material thickness of 1.2 mm to 15.0 mm



#068	PROFESSIONAL
63002	10 pieces
D.kr.	207



Bi-metal hole saw set

Ø 19 - 22 - 25 - 29 - 32 - 35 - 44 - 51 - 57 - 60 - 68 - 76 mm
Including Quick-Lock adapter 14 - 30 mm and 32 - 210 mm
2x HSS centering drill bits and 1x hex key

- 38 mm cutting depth



#069	PROFESSIONAL
68912	14 pieces
D.kr.	1.688





Wood drill bit set

Ø 3 - 10 mm / 1 mm increasing



- Center point and two shouldered cutting edges ensure pin-point center-drilling and precise drill holes
- Suitable for softwood, plywood, chipboards and plastics




#070 STANDARD
67040 8 pieces
D.kr. **110**

Flat wood drill bit set

NEW

Ø 6 - 8 - 10 - 12 - 13 - 14 - 16 -
18 - 19 - 20 - 22 - 24 - 25 mm




- Flat drill bit with center point, two cutting edges and 6.3 [1/4"] hex shank
- With ground basic and main cutting edges
- Length 152 mm



#071 PLUS
19698 13 pieces
D.kr. **326**

Router bit set

Bevel trim bit Ø 28.6 mm
Round over bit Ø 24.7 + 32.7 mm
Cove bit Ø 22.0 + 28.5 mm
Roman ogee bit Ø 35.0 mm
Groove cutter Ø 8.0 + 16.0 mm
Flush trim bit Ø 12.7 mm
Core box cutter Ø 12.0 mm
Dovetail bit Ø 14.3 mm
Engraving cutter Ø 11.0 mm



- Shank diameter 8 mm



#072 PLUS
19299 12 pieces
D.kr. **878**

Carbide tipped hole saw set

Ø 19 - 22 - 25 - 32 - 35 - 40 -
44 - 51 - 57 - 64 - 68 - 76 mm
Including Quick-Lock adapter
14 - 30 mm and 32 - 210 mm
1x TCT + 2x HSS centering drill bits
and hex key



- Cutting depth approx. 55 mm



#073 PLUS
60591 18 pieces
D.kr. **1.958**

Forstner drill bit sets

- Precise and splinter-free drilling in wood
- With center point, 2 main and peripheral cutting edges
- Designed to drill: hard wood, soft wood and veneered wooden board

Ø 10 - 12 - 15 - 16 - 18 -
20 - 22 - 25 - 26 - 28 -
30 - 35 - 40 - 45 - 50 mm

Ø 15 - 20 - 25 - 30 -
35 mm

#074 PLUS
33002-1 15 pieces
D.kr. **1.190**

#075 PLUS
33001-1 5 pieces
D.kr. **304**



Item no. 33002-1



Item no. 33001-1